

## FOODMAX BASIC 15 Product code: 264400201

#### Lubricating white paraffin oil

Paraffin food grade oil for general lubrication purposes. Can be used in the authorized industrial operations wherever there is the possibility of food contact. It can be used as a general lubricant in various applications in the food processing industry. The product gives excellent results as general lubricant in the textile, knitwear, food and beverage industry. It generally can be used whenever very high cleanliness levels are requested or in environments that require regular cleaning with water. Also, suitable as base oil for food grade lubricants and greases.

It will perform well as dough divider oil and as a lubricant for cutters, knives, conveyors, and rollers in packaging equipment. Also suitable for use as anti-corrosive for food processing machines.

This product is NSF H-1, 3-H and HX-1 approved. 3-H approval is required in bakeries for the lubrication of dough cutting equipment (full contact) according to HACCP advice.

#### Applications

- Oil and grease manufacturers
- Cosmetics industry
- Textile industry
- Food and beverage industry
- Breweries and bottlers
- Animal feed factories

#### Properties

- Colorless, odorless and tasteless white paraffin oil
- Good lubricating capacity
- Good adherence
- Provides a clean non staining and non-contaminating lubrication
- H-1, 3-H and HX-1 approved
- Can be used as lubricant and mould releaser in the food industry

+ 31 (0) 316 740 850 info@matrix-lubricants.com www.matrix-lubricants.com



(IK) NSE

Pass

Pass



# FOODMAX BASIC 15 Product code: 264400201

### **Typical Performance Data**


Odour

Halal

Kosher

FDA 21 CFR 172.878

FDA 21 CFR 178.3620A



All performance data on this Technical Data Sheet are indicative only and can vary during production.

+ 31 (0) 316 740 850 info@matrix-lubricants.com www.matrix-lubricants.com





**TECHNICAL DATA SHEET** 

Matrix Specialty Lubricants Typograaf 16 - 6921 VB Duiven The Netherlands + 31 (0) 316 740 850 info@matrix-lubricants.com www.matrix-lubricants.com



Page 3 of 2

V 1.3.23